

What is needed to make single particle EM reach its  
true potential?

PDB40 Symposium  
Cold Spring Harbor Laboratory  
29<sup>th</sup> October 2011

Richard Henderson  
MRC-LMB, Cambridge

# Cold Spring Harbor Symposium XXXVI 1971



Henderson

Zwick



Rossmann

North



Baldwin

Harrison

# NATURE


*A Weekly Journal of Science*

Vol. 214, No. 5089

SATURDAY, MAY 13, 1967

4s. 0d.

MAY 13, 1967

**VICKERS M15C**

The M15c microscope is shown with the tungsten halogen projection base, auto-wind 35 mm. camera and J35 exposure unit.

The projection base provides a very high light intensity—100 watts at 12 volts—sufficient for projection of high power phase and polarizing images—with full facilities for sensitive and convenient control of the illuminating beam. The colour temperature is 3,100 K. in normal operation, up to 3,300 K. at full voltage.

A continuously variable transformer and voltmeter are built into the base, together with a bulb centring control, and a Köhler type condenser system focusable by rack and pinion and gear-actuated control of the field iris aperture.

A range of cameras, which are instantly interchangeable, is an exclusive feature of the Vickers camera equipment. Fast and uniform exposures can be easily obtained in your choice of photographic format—35 mm., Polaroid\*, 3½" x 4½" plate camera or reflex camera. Two types of 35 mm. backs are offered—the auto-wind which automatically advances the film after each exposure and the semi-automatic with manual film wind-on.

*Let us send you further information*

\* Polaroid is the registered trade mark of the Polaroid Corporation

WITH PROJECTION  
BASE &  
CAMERA EQUIPMENT

VICKERS LIMITED · VICKERS INSTRUMENTS

HAXBY ROAD · YORK

PURLEY WAY · CROYDON · CR9 4HN

# Three-dimensional Structure of Tosyl- $\alpha$ -chymotrypsin

by  
 B. W. MATTHEWS\*

P. B. SIGLER  
 R. HENDERSON  
 D. M. BLOW

M.R.C. Laboratory of Molecular Biology,  
 Cambridge, England


A model is proposed for the structure of an inhibited derivative of an enzyme which hydrolyses proteins. It is based on a map of the electron density distribution at 2 Å resolution and interpreted in terms of a previously reported sequence of 241 amino-acids. The map has been derived from a Fourier synthesis of 24,500 terms and represents two crystallographically independent molecules, each of molecular weight 25,000, which are nearly identical in their tertiary structure. The enzyme is composed almost entirely of extended polypeptide chains. A chemical marker unambiguously defines the position of the active centre. The position and orientation of the residues known to be important in catalysis are clearly seen. The mechanism by which the inactive precursor is converted into an active enzyme is revealed.

An X-ray diffraction study of crystalline  $\alpha$ -chymotrypsin—a bovine protease containing 241 amino-acid residues—has been in progress since 1960 (refs. 1–3). We are now able to report the preparation of an electron density map at a resolution of 2 Å which, taken in conjunction with the amino-acid sequence determined by Hartley<sup>4–6</sup> and Keil and Sorm<sup>7,8</sup>, reveals in detail the conformation of the enzyme molecule in the crystal.

## X-ray Diffraction Measurements

The crystals were grown from ammonium sulphate solutions at pH 4.2 as previously described<sup>3</sup>. The unit cell (space group  $P2_1$ ,  $a = 49.1$  Å,  $b = 67.4$  Å,  $c = 65.9$  Å,  $\beta = 101.8^\circ$ ) contains four molecules of molecular weight 25,000 (refs. 9 and 2). Although the enzyme normally functions as a monomer, the crystallographic asymmetric

use of a single, moderately heavy atom to give accurate phase information at high resolution. Second, using tosyl- $\alpha$ -chymotrypsin as parent, a simpler and more constant pattern of binding of PMA to the protein was achieved. Finally, we anticipated that the interpretation of the map would be aided considerably by the unambiguous identification of the tosylated serine 195, which was likely to be more clearly visualized in the structure of the tosylated enzyme.



## 2CHA

### THE STRUCTURE OF CRYSTALLINE ALPHA-CHYMOTRYPSIN, V. THE ATOMIC STRUCTURE OF TOSYL-ALPHA-



**Authors:** Birktoft, J.J., Blow, D.M.

**Release** 1977-01-18

**Date:**

**Classification:**



**Experiment:** X-RAY DIFFRACTION with resolution of 2.00 Å

**Compound:** 3 Polymers [ [Display Full Polymer Details](#) | [Display for All Results](#) ]  
 1 Ligand [ [Display Full Ligand Details](#) | [Display for All Results](#) ]

**Citation:** Structure of crystalline -chymotrypsin. V. The atomic structure of tosyl- -chymotrypsin at 2 Å resolution.

## 4CHA

### STRUCTURE OF ALPHA-\*CHYMOTRYPSIN REFINED AT 1.68 ANGSTROMS RESOLUTION



**Authors:** Tsukada, H., Blow, D.M.

**Release** 1985-04-01

**Date:**

**Classification:**



**Experiment:** X-RAY DIFFRACTION with resolution of 1.68 Å

**Compound:** 3 Polymers [ [Display Full Polymer Details](#) | [Display for All Results](#) ]

**Citation:** Structure of alpha-chymotrypsin refined at 1.68 Å resolution.





(1985) J.Mol.Biol. 184: 703-711 [ [Display Full Abstract](#) | [Display for All Results](#) ]





Walther Stoeckenius:Halobacterium salinarum



1975, with Nigel Unwin







## 3D structures from 2D crystals (\* = atomic model)

Bacteriorhodopsin	3.5, 3.0 Å	*
DOC bacteriorhodopsin	6.0 Å	
Bacteriorhodopsin p22 <sub>1</sub> 2 <sub>1</sub>	6.5 Å	
Porin PhoE	6.0 Å	
Plant LHC-II	3.4 Å	*
Rhodopsin frog p2	6.5 Å	
Tubulin dimer	3.7 Å	*
Aquaporin-0	1.8 Å	**
Aquaporin-1	3.8 Å	*
Aquaporin-4	2.8 Å	*
Halorhodopsin	5.0 Å	
Glutathione transferase	3.5 Å	*
Prostaglandin E2 synthetase	3.6 Å	*
SecYEG complex	8.0 Å	
Plant photosystem II RC	8.0 Å	
Neurospora H <sup>+</sup> -ATPase	8.0 Å	
Gap junction channel	7.5, 6.0 Å	
NhaA Na <sup>+</sup> /H <sup>+</sup> antiporter	7.0 Å	
Glycerol channel GlpF	6.9 Å	
Oxalic acid transporter OxLT	6.0 Å	
EmrE multidrug transporter	7.0 Å	

Some early single particle cryoEM structures from Cambridge


B




F-type ATPase 0.6 MDa





P-type H<sup>+</sup>-ATPase 0.6 MDa




Complex I 0.9 MDa



Clathrin cage 20 MdD




betaGal  
0.45 MDa



PDH 1.6 MDa

# Potential of cryoEM

- (a) How do we know how well we should be able to do?
- (b) How do we know we are right – validation?
- (c) How do we improve?
  - Relate theory to experiment
  - Tilt pair analysis to assess orientation determination
  - Calculate control map with high resolution noise substituted
  - Better detectors
  - Minimise specimen movement & image blurring



Human Rotavirus DLP Zhang et al & Grigorieff  
3.8 Å, B-factor 450 Å<sup>2</sup> (2008) PNAS **105**, 1867-72.













Fig. 4. FSC curves before (black) and after (red) 13-fold nonicosahedral averaging. The black curve suggests a resolution of 5.1 Å (0.143 threshold value), and the red curve indicates a resolution of 4.1 Å.




Rotavirus tilt pair images: James Chen & Niko Grigorieff, Brandeis




500 Å

# Rotavirus: 10 tilt pairs, Chen & Grigorieff



Film pair	$\langle \text{TANG} \rangle$ (sd)	Nom. TANG
N1001/2	+3.83 ( $\pm 0.20$ )	+5.0
N1003/4	+4.50 ( $\pm 0.21$ )	+5.0
N1007/8	-4.24 ( $\pm 0.39$ )	-5.0
N1009/10	-5.67 ( $\pm 0.33$ )	-5.0
N1011/12	-10.4 ( $\pm 0.44$ )	-10.0
N1013/14	-8.07 ( $\pm 0.63$ )	-10.0
N1015/16	+8.67 ( $\pm 0.45$ )	+10.0
N1017/18	+9.34 ( $\pm 0.53$ )	+10.0
N1019/20	+8.83 ( $\pm 0.81$ )	+10.0
N1021/22	-21.14 ( $\pm 0.95$ )	-20.0

Fig.1



# Shaoxia Chen: LMB Cambridge






Fig.2

**Table 2 - Overview of tilt pair statistics**

Specimen	Symmetry	Particle size	Molecular Weight	Number of tilt pairs	Number of particles	Successful alignment (%)	Mean/maximum angular error (degs)
Rotavirus DLP	I2	700 Å	50 MDa	10	95	100/100	0.25 1.0
CAV	I2	255 Å	2.7 MDa	1	45	62/82	2.5 3.5
FAS	D3	260x220 Å	2.6 MDa	2	44	59/95	4.0 6.0
70S ribosomes	C1	270x260 Å	2.6 MDa	12	220	45/75	4.0 5.0
PDH-E2CD	I1	280 Å	1.6 MDa	1	50	62/94	3.0 4.0
<u>Thermus</u> V-ATPase	C1	250x140 Å	0.6 MDa	1	50	54/80	10.0 16.0
Bovine F-ATPase	C1	250x140 Å	0.6 MDa	1	29	52/79	20.0 25.0
DNA-PKcs	C1	150x120 Å	0.47 MDa	14	108	44/81	15.0 17.0
β-galactosidase	D2	180x130x95 Å	0.45 MDa	2	119	74/91	10.0 14.0


**Table 3 – Effect of angular accuracy on B<sub>computation</sub> and map resolution**

Particle size (diameter / MW)	Angular orientation error (degrees)				
	0.5	2.0	5.0	10.0	20.0
150 Å / 500 kDa	3	40	250	1000	4000
250 Å / 3MDa	7	110	700	2800	11000
700 Å / 50 MDa	55	900	5600	>20000	>80000

Angular error is translated into an apparent B-factor due to computational blurring of the 3D map, using the formula  $B = (\Delta\theta \cdot D)^2 / 2200$ , where  $\Delta\theta$  is the orientation error in degrees and D is the particle diameter in Å. In previously published work, B-factors of B=1000 have given 8.7 Å resolution maps<sup>19</sup>, 750 gave 7.0 Å resolution<sup>3</sup> and B=240 gave 3.3 Å<sup>9</sup>, though other factors including the number of particles in the dataset are also important. This suggests that a two to three-fold improvement in orientation accuracy would allow structures of around 500 kDa to reach near-atomic (~4 Å) resolution, without too many particles being required. The box shadings (white, pale grey, dark grey) represent the likelihood of obtaining high (3-5 Å), medium (6-10 Å) or low (below 12 Å) resolution maps with the given error in orientation angles.


## How to improve: solve two remaining problems

- beam-induced movement [evidence from many observations: visible blurring, asymmetric Thon rings, large B-factors, model systems like paraffin, vertical movements observed in tilted 2D crystals, rotavirus ice film doming, liquid helium (Wright et al, 2007) effects larger]
- orientational accuracy [information in images must be increased]



- A Ultrascan 4000 15 $\mu$ m
- B SO-163 film 7 $\mu$ m
- C Backthinned CMOS
- D Electron counting

D represents the performance of the proposed new electron counting detector



## Acknowledgements

- PDH Peter Rosenthal
- CAV Tony Crowther
- Rotavirus James Chen, Niko Grigorieff
- 70S Ribosome Lori Passmore
- DPKase Phoebe Stewart
- FAS Luciano Ciccarelli
- F-type ATPase John Rubinstein
- V-type ATPase Wilson Laue, John Rubinstein
- betaGal Shaoxia Chen
- Detectors Greg McMullan, Wasi Faruqi